
一级代理商：

深圳市弗瑞鑫电子有限公司


地址：深圳市宝安区西乡大道302号金源商务大厦B座三楼

0

0

.frxele


00



7

7

() () %
 () ()
 () ()
 ()
 ()
 ()
 ()
 () ()
 () ()
 ()



()
 ()
 ()

	()		
*			
*			

* %

*

	*					%	
		()					
							%

●

%



					%

● %


()
 ()
 ()

*


	() &	
	() &	






*





PIN NO. AND INTERNAL CONNECTION DIAGRAM



1,3,5,7. Anode,Cathode 9,11,13,15. Emitter
 2,4,6,8. Cathode,Anode 10,12,14,16. Collector






		()
		()
		()
		()
		()
		()


()	
-----	--


()	* *
()	



" "

()	
()	
() ()	
()	
()	





--	--

Figure 1. Collector Power Dissipation vs. Ambient Temperature




Figure 2. Forward Current vs. Ambient Temperature




Figure 3. Forward Current vs. Forward Voltage




Figure 4. Forward Voltage Temperature Coefficient vs. Forward Current




Figure 5. Pulse Forward Current vs. Duty Cycle Ratio




Figure 6. Pulse Forward Current vs. Pulse Forward Voltage




Figure 7. Collector-Emitter Saturation Voltage vs. Forward Current




Figure 8. Collector Current vs. Collector-Emitter Voltage




Figure 9. Collector Current vs. Small Collector-Emitter Voltage




Figure 10. Normalized CTR vs. Forward Current




Figure 11. Collector Dark Current vs. Ambient Temperature




Figure 12. Current Transfer Ratio vs. Forward Current




Figure 13. Normalized CTR vs. Ambient Temperature




Figure 14. Collector-Emitter Saturation Voltage vs. Ambient Temperature




Figure 15. Collector Current vs. Ambient Temperature




Figure 16. Switching Time vs. Load Resistance




Figure 17. Switching Time vs. Ambient Temperature




Figure 18. Frequency Response

